

AGENDA Berwick Bank and Marr Bank

- 1. SSE Group and Renewables overview and vision
- 2. Berwick Bank and Marr Bank wind farms overview
- 3. Digital EIA focus data management, information events and reporting
- 4. Digital EIA Challenges and opportunities
- 5. Digital EIA progress to date and future vision



OVERVIEW OF THE SSE GROUP

Our vision is to be a leading energy company in a net zero world

Our purpose is to provide energy needed today, while building a better world of energy for tomorrow.

We create value for shareholders and society in a sustainable way through successful development, efficient operation and responsible ownership of energy infrastructure and businesses.





SSE RENEWABLES

A leading developer, owner and operator in the UK and Ireland

ONSHORE WIND

Operational c. 2,000MW Development c. 1,000MW

OFFSHORE WIND

Operational c. 600MW Development c. 6,000MW





HYDRO & PUMPED STORAGE


Operational c. 1,450MW Development c. 1,500MW





PROJECT OVERVIEW Berwick Bank and Marr Bank


- Outer Firth of Forth
- Berwick Bank & Marr Bank (**up to 4.1GW**)
- Development area ~8 times size Glasgow City
- **10 %** of the UK Govt's 40GW by 2030
- 37 % of Scottish Govt's 11GW by 2030
- Consent Submission by 2022
- Operational by **2030**
- Growing team ~ 50 FTE
- Working with many environmental consultants: ITPE, RPS, Xodus, Hi Def and others



The area of MB & BB combined envelope is: 1442 sq. km Area of City of Edinburgh – 263 sq.km Glasgow City - 175 Sq.km



PROJECT OVERVIEW








DIGITAL EIA

- Ornithology and marine mammals largest aerial survey in world - 30 million footage frames were recorded over two years!
- 'Osprey' interactive digital viewing platform by








DIGITAL EIA



BIGITAL EIA

| CPS | Contents 🕶 | |
|---|--------------------------------|---|
| Introduction | | |
| Statutory Framework | Need for EIA | Content of ES |
| The Applicant | The Assessm | ment Team |
| This Environmental Statement (ES) has been prepared by Environmental Impact Assessment (EIA) process and acc hereafter as the 'project'). | | |
| The project site is located in England. The project site occ | cupies an area of approximatel | ely 30 ha. The project location is shown below. |
| The project would comprise the following: | | |
| dwellings up to two storeys in height and affordable housing (at 35% of the total housing provision) | | |
| 🕐 natural greensapce | | |
| demolition of existing buildings | | |
| commercial development (including B1 use classes) and a single storey café | | |
| a range of wider multi-user Public Rights of Way (PRoW) connections | | |
| off site highway improvements | | |
| | | |





DIGITAL EIA Challenges

- Data platforms and users many
- EIA reporting many software platforms, no standard
- Data scale, size, portability geophysical data 3.94TB!
- Accessibility is it accessible to all?
- Data security
- Duplication of effort in EIA reporting EIA regulations



-65 -63

-61 -60 -58


-56 -54 -52

-51 -49 -47

-45 -43

-41 -40 -38

-36 -34 -32



Bathymetry model from Geophysical Survey data – used to inform archaeology and benthic EIA surveys





- Interactive and easy to use EIA reports for all stakeholders
- Less environmental impact HS2 EIA 49,000 pages long, cost over £15,000 to print one copy
- Common, interactive data platform for many data sources and users
- Ability to more effectively use the EIA process throughout development design to reduce environmental effects





CONCLUSION Berwick Bank and Marr Bank – our digital EIA journey

- We have started and continue our journey with Digital EIA
- Virtual events, interactive data management and digital EIA reporting
- There are internal and external challenges with moving to a digital only EIA, not least project scale
- There are opportunities to work with stakeholders to present digital EIA in the right way
- Future goals include full digital EIA and thinking about common data platforms



THANK YOU

For More Information contact:-Louise.davis@sse.com

